

Receiving Report

Date: 10/10/14

Batch No: m115894

Supplier: metam. solution

Dart P/O: 12692

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection OK 10/10/15 N/A ☐
 Work Order 2 N/A ☐

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 CL

Production/Admin:

Date 10/10/15

Received/Costing CL

Initial CL

Location

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID po12692 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Total Received Quantity:	191.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$2,890.41
Total Balance Due Quantity:	0.0000

METAUX SOLUTIONS INC.
 2108, 32E AVENUE
 LACHINE, QUEBEC
 H8T 3H7 Tel.: 514 633-8010

Customer: 6323336

DART AEROSPACE LTD
 1270, ABERDEEN STREET
 HAWKESBURY, ONTARIO
 K6A 1K7

Invoice

14/10/2010

111198

Sales Rep. : Jérôme Primeau
 Order : 69716
 Reference : PO12692
 Terms : NET 30 JOURS / NET 30 DAYS
 Ship : NOTRE CAMION / OUR TRUCK

Ship To :

Same

Tel.: 1 613 632-3336

Item No.	Description	Ord	Inv.	B/O Qty	Price	Total	Tx
SF234	2 X 13.5' *****						
	HT;6712249						
	304 FLA 2.000 X 3.000	8	8	0	146.99	1 175.92	A
	1 X 8' *****						
	HT;250191						
ADS516058	1 X 20'						
	HT; SRH8						
	2 X 20'						
	HT; S-4758						
	ALU TUB .312 X .058 DWN SMLS	84	84	0	3.66	307.44	A
	7 X 12' ****						
	HT;534677						
	1 X 12'						
	HT; 0629786						
	LIVRE PAR TST COLLECT						
	JP						

COPY Subtotal : 1 483.36

HST : 192.84

A) Regist :

Total : 1 676.20

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 01

Certification Date
12-OCT-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

29125-J

PART NUMBER/NUMÉRO DE PIÈCE

100827

Invoice Number
T283398

SOLD TO:	METAUX SOLUTIONS INC.	SHIP TO:	METAUX SOLUTIONS (MONTREAL)
VENDU À:	9060-0388 QUEBEC INC.	EXPÉDIÉ À:	
	1320 VOLTA		2108 32 IEME AVENUE
	BOUCHERVILLE QC J4B 6G6		LACHINE QC H8T 3H7

Description: 6061-T6 DRAWN SMLS TUBING WW T 700/6 AMS WW T
.313 OD X .058 W (.196 ID) X 12' Line Total: 108 FT
HEAT: 534677 ITEM: 100827

Specifications:
WW T 700/6 F* ASTM B210 04 *AM 2
AMS 4082 P AMS WWT 700/6 A

ALUMINIUM CHEMICAL ANALYSIS

DESCRIPTION:

	SI	FE	CU	MN	MG	CR	ZN	TI
MIN	0.4		0.15		0.8	0.04		
MAX	0.8	0.7	0.4	0.15	1.2	0.35	0.25	0.15

OTHERS : EACH TOTAL
0.05 0.15 AL REMAINDER

RCPT: R252863

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR PSI	ULT TEN PSI	%ELONG IN 02 IN	%RED IN AREA	HARDNESS
	41627.0	47234.0	13.0		

EDDY CURRENT: YES

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 02

Certification Date
12-OCT-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T283399

29125-J
PART NUMBER/NUMÉRO DE PIÈCE

522225

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 304/304L HR ANN BAR ASTM A479
2 X 3 9" 8' (108.0") REMNANT
HEAT: 250191 ITEM: 522225

Line Total: 184 LB

Specifications:

ASTM A276 08A
QQ S 763 F
AMS QQ S 763 B
ASTM A370 09A
ASME SA320 07
ASTM A473 01
ASTM A262 PRACT E 02A

ASTM A479 09
AMS 5639 H
ASME SA276 07
MIL S 862 B
ASTM A193 08
NACE MR0175 03
ASTM A320 08

ASME SA479 07
AMS 5647 H
ASTM A182 09A
ASME SA182 07
ASTM A314 08
ASME SA193 07

CHEMICAL ANALYSIS

C	SI	MN	CR	MO	CU	NI	CO
0.023	0.56	1.68	18.2100	0.51	0.51	8.07	0.10
P	S	N					
0.031	0.025	0.086					

RCPT: R243113

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR	ULT TEN	%ELONG	%RED	HARDNESS
	KSI	KSI	IN 02 IN	IN AREA	BHN
	37.0	82.0	63.0	71.0	166

GRAIN SIZE : 5 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 02

Certification Date
12-OCT-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

29125-J

PART NUMBER/NUMÉRO DE PIÈCE

522225

Invoice Number
T283399

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 304/304L HR ANN BAR ASTM A479
2 X 3 9.0" (108.0") REMNANT
HEAT: 250191 **ITEM:** 522225

Line Total: 184 LB

Specifications:

ASTM A276 08A	ASTM A479 09	ASME SA479 07
QQ S 763 F	AMS 5639 H	AMS 5647 H
AMS QQ S 763 B	ASME SA276 07	ASTM A182 09A
ASTM A370 09A	MIL S 862 B	ASME SA182 07
ASME SA320 07	ASTM A193 08	ASTM A314 08
ASTM A473 01	NACE MR0175 03	ASME SA193 07
ASTM A262 PRACT E 02A	ASTM A320 08	

CHEMICAL ANALYSIS

C	SI	MN	CR	MO	CU	NI	CO
0.023	0.56	1.68	18.2100	0.51	0.51	8.07	0.10
P	S	N					
0.031	0.025	0.086					

RCPT: R243113

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR	ULT TEN	%ELONG	%RED	HARDNESS
	KSI	KSI	IN 02 IN	IN AREA	BHN
	37.0	82.0	63.0	71.0	166

GRAIN SIZE : 5 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 02 of 02

Certification Date
12-OCT-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T283399

29125-J
PART NUMBER/NUMÉRO DE PIÈCE

522225

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 304/304L HR ANN BAR ASTM A479
2 X 3 9'0" (108.0") REMNANT
HEAT: 250191 ITEM: 522225

Line Total: 184 LB

MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
THERMAL TREATMENT: OK
ANNEALING TEMP 1940 F FOR 1.5 H/WATER
CORROSION: OK
MACRO: OK
MICRO: OK

COMMENTS

MELTED AND MFG IN ITALY
DFARS COMPLIANT
EN 10204 3.1:2005

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 02 of 02

Certification Date
12-OCT-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T283399

29125-J
PART NUMBER/NUMÉRO DE PIÈCE
522225

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 304/304L HR ANN BAR ASTM A479
2 X 3 9'0" (108.0") REMNANT
HEAT: 250191 ITEM: 522225

Line Total: 184 LB

MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
THERMAL TREATMENT: OK
ANNEALING TEMP 1940 F FOR 1.5 H/WATER
CORROSION: OK
MACRO: OK
MICRO: OK

COMMENTS
MELTED AND MFG IN ITALY
DFARS COMPLIANT
EN 10204 3.1:2005

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 01

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Certification Date
12-OCT-2010

29125-J
PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number
T283398

100827

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 6061-T6 DRAWN SMLS TUBING WW T 700/6 AMS WW T
.313 OD X .058 W (.196 ID) X 12' Line Total: 108 FT
HEAT: 534677 ITEM: 100827

Specifications:

WW T 700/6 F*
AMS 4082 P

ASTM B210 04
AMS WWT 700/6 A

*AM 2

ALUMINIUM CHEMICAL ANALYSIS

DESCRIPTION:

	SI	FE	CU	MN	MG	CR	ZN	TI
MIN	0.4		0.15		0.8	0.04		
MAX	0.8	0.7	0.4	0.15	1.2	0.35	0.25	0.15

OTHERS : EACH TOTAL
0.05 0.15 AL REMAINDER

RCPT: R252863

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR PSI	ULT TEN PSI	%ELONG IN 02 IN	%RED IN AREA	HARDNESS
	41627.0	47234.0	13.0		

EDDY CURRENT: YES

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12692

Purchase Order Date 10/05/10

PO Print Date 10/05/10

Page Number 1 of 2

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 558 8858

514 633 8044

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Chantal Lavoie

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.750X2.500	304 BAR .750 X 2.50	10/12/10 Yes	24.00	TST ground <i>27</i>	\$32.7500	\$786.00
Special Inst:			MATERIAL: AISI 304/316 SS BAR AS PER ASTM A276 NOTE: 303 NOT ACCEPTABLE				
2	M304B2.000X03.000 <i>27</i>	304 BAR 2.000" X 3.000"	10/18/10 Yes	8.00	TST ground <i>f</i>	\$146.9900	\$1,175.92
Special Inst:			AS ABOVE				
3	M304TR1.000W.065	304 RD Tube 1.00 x .065W	10/18/10 Yes	20.00	TST ground <i>f</i>	\$4.1000	\$82.00
Special Inst:			MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269				

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 10/05/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12692

Purchase Order Date 10/05/10

PO Print Date 10/05/10

Page Number 2 of 2

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

4	M6061T6R0.750	6061-T6 Round Bar .750"	10/08/10	40.00	TST ground	\$2.0500	\$82.00
			Yes	f			

Special Inst: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4118/4128
4115/4116 OR ASTM B211 OR ASTM B221

5	M6061T6T0.3125W.058	ALUM TUBE .3125 x .058w	10/18/10	84.00	TST ground	\$3.6600	\$307.44
			Yes	f			

CD 10/10/14
Damage / but good.

Special Inst: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER
WW-Q-700/6 OR AMS 4080/AMS4082 OR QQ-A-200/8 OR QQ-A-225/8

6	M4140N-B1.500X1.5000	4140 Steel Bar 1.50 x 1.50	10/18/10	12.00	TST ground	\$29.9000	\$358.80
			Yes	f			

Special Inst: MATERIAL: AISI 4140N STEEL BAR PER MIL-S-5626 OR AMS 6382. AMS 6349. AMS 6529

PO Total: \$2,792.16

MATERIAL CERTIFICATION
REQD UPON DELIVERY

Change Nbr: 1

Change Date: 10/05/10

No substitution or deviation without consent.
Certificate of Conformity or Material Certification required when applicable